

TSAX0940

ATEX IP68 Explosion Proof Dome Camera Housing (SS304)



Model	TSAX0940
Size (Ø × H)	
Window Viewing Area (Ø)	-
Weight	15 kg (33.07 lb)
Material	<ul style="list-style-type: none"> AISI 304 stainless steel (TSAX0940) AISI 316L stainless steel (TSAX0940-S)
Heater Control	-
Related Products	-

*Design and specifications are subject to change without prior notice.

Features

- IP68, NEMA-6P enclosure rating
- Operating temperature range from -45 °C to 60 °C (-49 °F to 140 °F)
- Ex d IIC T6 Gb explosion-proof marking
- AISI 304/316L stainless steel construction (available)

Available Models

Model	Material
TSAX0940	AISI 304 stainless steel
TSAX0940-S	AISI 316L stainless steel

Tech Specs

Model	TSAX0940
Atmospheric Pressure	80 kPa to 106 kPa
Operating Ambient Temperature	-45 °C to 60 °C (-49 °F to 140 °F)
Relative Humidity	5 % to 95 % noncondensing
Protection Rating	<ul style="list-style-type: none"> Ex d IIC T6 Gb explosion-proof marking IP68, NEMA-6P enclosure rating
Input Power	-
Dimensions (Ø × H)	240 mm × 430 mm (9.45 in × 16.93 in)
Internal Usable	Less than Ø 183 mm (7.20 in)